

valeo added* IIIIIII



Valeo fuel caps range

Valeo			##	ø	H ø	2-3		(f	OE
Ref VS	CTR	Models	Туре	Exterior diameter	Interior diameter	Nb. pins	Vented	Closing system	Cross ref
247518	IVECO	Daily Fourgon 30.8, 32.8, 35.8, 40.8	В	48,5	35	2	-	with key	-
247525	RENAULT	Master	В	72	47	2	-	with key	-
247601	IVECO	Daily	В	72,5	40	2	+	with key	-
247700	ALFA ROMEO	30, 32, 35, 40 AR8	V	96	M80x2	-	+	with key	-
	INTERNATIONAL	ALL TRUCKS	V	96	M80x2	-	+	with key	-
	IVECO	Daily 30, ALL TRUCKS	V	96	M80x2	-	+	with key	Iveco 2993919
	MACK	ALL TRUCKS	V	96	M80x2	-	+	with key	-
	VAN HOOL	ALL TRUCKS	V	96	M80x2	-	+	with key	-
247701	VOLVO TRUCKS	Amaz 121, 122S, F82, F82B, F83B (mod 465), PV444, PV544	В	72,5	41	2	+	with key	-
247702	RENAULT	Master, Messenger - B, Trafic	В	72,5	36	2	+	with key	-
	SAVIEM	SG2, SG3, SG5	В		36	2		-	-
247703	DAF	ALL TRUCKS	В	122	80	2	+	with key	-
	FORD	ALL TRUCKS	-	122	80	2	+	with key	-
	HANOMAG	ALL TRUCKS	-	122	80	2	+	with key	-
	IVECO	EuroCargo, EuroStar, EuroTech, EuroTrakker, ALL TRUCKS	-	122	80	2	+	with key	lveco 500043667 - 2993918
	KÄSSBOHRER	ALL TRUCKS	-	122	80	2	+	with key	-
	MAGIRUS-DEUTZ	ALL TRUCKS	-	122	80	2	+	with key	-
	MAN	ALL TRUCKS	-	122	80	2	+	with key	-
	MERCEDES	814, S-817-914, AK-1117-1314K, AK-1317- 1320, S-1517, K-1520-1826, L, S-1833L, LL, LS-1922K, AK-1935, S-1948, S-2433L, LL, 6x2-2629K, AK M.O 2635K, SMO, Actros, Atego, Axor, Corriere (bus)	-	122	80	2	+	with key	-
	MITSUBISHI	Canter	-	122	80	2	+	with key	-
	PEGASO	Troner	-	122	80	2	+	with key	-
	RENAULT TRUCKS	Magnum, Midlum, Premium, ALL TRUCKS (metal tank)	-	122	80	2	+	with key	-
	STEYR	ALL TRUCKS	-	122	80	2	+	with key	-
	VOLKSWAGEN	MT 8136 - 9136	-	122	80	2	+	with key	-
	VOLVO TRUCKS	FH	-	122	80	2	+	with key	-
247704	ALFA ROMEO	30, 32, 35, 40 AR8	В	88	60	2	+	with key	Iveco 2993920
	FORD	ALL TRUCKS	-	88	60	2	+	with key	-
	IVECO	Daily - Grinta : 30, 35, 40, 45, 49	-	88	60	2	+	with key	-
	VOLVO TRUCKS	FL, FM	-	88	60	2	+	with key	-
247705	SCANIA	Serie 2, Serie 3	В	88	60	2	+	with key	-
247706	RENAULT TRUCKS	ALL TRUCKS (metal tank)	В	122	90	3	+	with key	-
247707	IVECO	Stralis	В	129	80	2	+	with key	-
247708	SCANIA	Serie 4, P, G, R, T	V	103	M65x6,5	-	-	with key	SCANIA: lock.=1481301 (4M-001)
247709	IVECO	Daily, Daily City, Turbodaily, EuroCargo, ALL TRUCKS	٧	103	M80x6	-	+	with key	lveco 500025735
247710	IVECO	Daily City, EuroCargo, ALL TRUCKS	V	103	M65x6,5	-	+	with key	Iveco 2993923
247711	RENAULT TRUCKS	Mascott, Midlum, ALL TRUCKS (plastic tank)	V	124	M80x6,3	-	-	with key	-

All Valeo vented caps for Trucks are compliant with the European standards 70/221 and 2000/8 since they are equipped with a security valve which avoids fuel leakage if the vehicle rolls over.



Valeo Urea caps range

<u>Valeo</u>	AdBlue		# #) j	G.	<u>OE</u>
Ref VS	Description	Applications	Fixing mode	Diametre intérieur	Closing system	OE
247617	Игеа сар	Nissan Cabstar Renault Trucks Maxity	bayonet	46,5mm	with key	Nissan: lock.17251-9X427
247712	Игеа сар	lveco	bayonet	58,5mm	with key	Iveco 500025779
247713	Urea cap	Multi application	bayonet	39mm	with key	DAF: non lock 1742568 MAN: non lock 1742568 Mercedes: lock A0004702705002
247714	Urea cap	Multi application	bayonet	58,5mm	with key	Scania: non lock 1759435 Renault Trucks: non lock 20926022 / lock 21075531 Volvo Trucks: non lock 20926021 / lock 21075528
247715	Urea cap adaptater	Scania	-	-	-	-
247718	Urea cap	DAF LF 45 - 55	bayonet	39mm	with key	DAF: non lock 1742568

Valeo metal chains for fuel caps

247716	G.
for	
247700	٩ .
247708	1
247709	1 Proposition of
247710	of the
247711	The state of the s



Key benefits

Valeo fuel caps

- Solid locking of the petrol caps to secure the tank.
- A quality ensured by the resistance and the reliability of materials used.
 - Easy-to-fit.A secure and ecological valve ventilation system:
 - respect of EEC safety standards:

 in the event of a crash or accident,
 the risk of fuel leaking from the tank
 is minimized and the risk
 of fuel ignition is reduced;
 - respect of the environment by reduction of air pollution.

Valeo urea cap

Environmental friendly

Valeo contributes to a cleaner environment by offering components that reduce toxic emission of diesel trucks.

- Reliable & highly qualitative
 - Components are long lasting thanks to the good quality of the materials.
 - Metal barrels of the caps guarantee maximum strength and avoids urea corrosion & anti corrosion surface treatment of the caps guarantee a maximum strengths and avoid urea corrosion.
- Easy to recognize

 A blue cap & a blue key cap to avoid confusion with fuel caps & keys.
- ✓ Safe Barrels & keys ensure a secure locking.







All caps are OE quality and undergo rigorous test according to OE specifications for a secure & long lasting offer.

During the comprehensive tests, the cap is checked to ensure no damage to the body / seals and that no leakage occurs.



- lacktriangle high and low pressure tightness test
- igvee high and low temperature test and temperature variation
- closing and opening coupling operations
- prolonged thermal ageing
- ✓ Impact test
- ✓ Wear test
- ✓ Valve tests (depending on models)

The conformity test ensures both a reinforced security in case of crash and a reduced pollution in the environment during the entire lifetime of the cap.





